

IP65 Solution



22" (16:10)


Specifications



Model Name	W22L100-IPM1
Viewable Size Image	22"(16:10)
Active Display Area(mm)	473.76(H)x296.1(V)
Pixel Pitch(mm)	0.282mmX0.282mm
Number of Pixels	1680x1050
Contrast Ratio	1000:1(typ.)
Display Color	16.7M(8bit/color)
Brightness(cd/m ²)	250(typ.)
Viewing Angle(CR>=10)	-85~85(H); -80~80(V)
Synchronization Range	
Horizontal/Vertical	31.5~80.0KHz/60~75Hz
Recommended Resolution	1680x1050@ 60Hz
Signal Connector	15 pin D-sub
Power Source	12V DC in, with External AC to DC Adapter (100~240V AC)
Power Consumption	25W typical, normal operation
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Optional Video Input	S-Video, Composite
Optional DVI Input	Yes
Optional Touch Screen	Resistive

Remarks: W22L100 series= VGA input only
W22L110 series= VGA+Video Input

Mechanical Drawing: W22L100-IPM1(With Resistive)



Rev.	Reasons	Revised Date
1.0	First release	Apr-06-11
1.1	Spec change	Apr-23-14

CUTOUT 500x326 mm
UNIT:mm

* Note: this is a simplified drawing and some components are not marked in detail. Please contact our sales representative if you need further product information.